

# TPD Notification(Cubis Pro with eVic VTTwo Mini)

## Product Photo:



## 1、Field Descriptions

## 2、 SUBMITTER CHARACTERISTICS

Field #	Field	Description	Reporting Mandatory (M) or Optional / mandatory fields (F)	To be filled by
	Product-ID-Other-Exist	N/A	M	Joyetech
	Product-ID-Other	N/A	F	Joyetech
	Product-Same-Composition-Exist	N/A	M	Joyetech
	Product-Same-Composition-Exist-Other	N/A	M	Joyetech
	Product-Weight-E-liquid	N/A	F	Joyetech
	Product-Volume-E-liquid	N/A	F	Joyetech
	Product-Manufacturer-Indentification	JOYETECH(SHENZHEN) ELECTRONICS CO., LTD.	M	Joyetech
	Product-Site-Address	1F,9th Blvd,Changxing High Tech Industry Zone,Shajing Town,Baoan District, Shenzhen, China.	M	Joyetech
	Product-CLP-Classification	N/A	F	Joyetech
	Product_Launch_Date	2016/6/3	M	Joyetech
	Product_Package_Units	1	M	Joyetech

# TPD Notification(Cubis Pro with eVic VTTwo Mini)

6、 PRODUCT DESIGN				
Field #	Field	Description	Reporting Mandatory (M) or Optional / mandatory fields (F)	To be filled by
	E-Cigarette_Description	<p>The 'eVic VTtwo mini' Kit (the internal code is JK012) consists of a battery tube and control unit and a removable, refillable e-liquid 'CUBIS PRO' atomizer. The power and control unit consists of a zinc alloy housing, a battery cover and a PCB with LED screen to provide a user interface. The 'CUBIS PRO' atomizer consists of a base which accepts the atomizer and provides a connection between the power/control unit and the e-liquid contained within the tank. The upper section of the tank contains the e-liquid which is sealed between itself and the base, as well as supporting a mouthpiece. 1 x NotchCoil TM 0.25ohm(the internal code is JC005), 1x BF SS316-0.5ohm(the internal code is JC001), BF Clapton-1.5ohm and BF ceramic 0.5ohm atomizer head(the internal code is JC013) or other BF series atomizers are supplied. The eVic VTtwo mini is powered by single interchangeable 18650 battery.</p>	M	Joyetech
	E-Cigarette_Liquid_Volume/Capacity	2ml	M	Joyetech
	E-cigarette_Nicotine_Concentration	N/A	F	Joyetech
	E-Cigarette_Battery_Type	Li-ion	F	Joyetech
	E-Cigarette_Battery_Type_Capacity	2200mAh	F	Joyetech
	E-Cigarette_Volt/Watt_Adjustable	both are adjustable	M	Joyetech
	E-Cigarette_Voltage	N/A	F	Joyetech
	E-Cigarette_Voltage_Lower_Range	0.5V	F	Joyetech
	E-Cigarette_Voltage_Upper_Range	8V	F	Joyetech
	E-Cigarette_Wattage	N/A	F	Joyetech
	E-Cigarette_Wattage_Lower_Range	1W	F	Joyetech

# TPD Notification(Cubis Pro with eVic VTwo Mini)

	E-Cigarette_Wattage_Upper_Range	60W	F	Joyetech
	E-Cigarette_Airflow_Adjustable	adjustable	M	Joyetech
	E-Cigarette_Wick_Changeable	no	M	Joyetech
	E-Cigarette_Microprocessor	the e-cigarette contains a microprocessor	M	Joyetech
	E-Cigarette_Coil_Composition	SS316/SS316/Fe-Cr-AL alloy	M	Joyetech
	Coil Resistance	0.25/0.5/1.5	M	Joyetech
	E-Cigarette-Production-Conformity decl.	<input checked="" type="checkbox"/>	M	Joyetech
	E-Cigarette-Quality -Safety	<input checked="" type="checkbox"/>	M	Joyetech
	Child Tamper Proof decl.	<input checked="" type="checkbox"/>	M	Joyetech
	E-Cigarette_Production _File	attachment	M	Joyetech
	E_Cigarette_Opening/Refill _File	attachment	F	Joyetech
	E-Cigarette -Consistent dosing methods -File	attachment	M	Joyetech
	E-Cigarette -Consistent nicotine -dose/uptake file	attachment	M	Joyetech