

TPD Notification(eVic VTC Dual With ULTIMO)

Product Photo:

eVic VTC Dual with ULTIMO



1、 Field Descriptions

2、 SUBMITTER CHARACTERISTICS

Field #	Field	Description	Reporting Mandatory (M) or Optional / mandatory fields (F)	To be filled by
	Product-ID-Other-Exist	N/A	M	Joyetech
	Product-ID-Other	N/A	F	Joyetech
	Product-Same-Composition-Exist	N/A	M	Joyetech
	Product-Same-Composition-Exist-Other	N/A	M	Joyetech
	Product-Weight-E-liquid	N/A	F	Joyetech
	Product-Volume-E-liquid	N/A	F	Joyetech
	Product-Manufacturer-Indentification	JOYETECH(SHENZHEN) ELECTRONICS CO., LTD.	M	Joyetech
	Product-Site-Address	1F,9th Blvd,Changxing High Tech Industry Zone,Shajing Town,Baoan District, Shenzhen, China	M	Joyetech
	Product-CLP-Classification	N/A	F	Joyetech
	Product_Launch_Date	2016/8/4	M	Joyetech
	Product_Package_Units	1	M	Joyetech

TPD Notification(eVic VTC Dual With ULTIMO)

6、PRODUCT DESIGN

Field #	Field	Description	Reporting Mandatory (M) or Optional / mandatory fields (F)	To be filled by
	E-Cigarette_Description	<p>The 'eVic VTC Dual kit'(the internal code is JK030) consists of a battery cover and control unit and a removable, refillable e-liquid 'ULTIMO' atomizer. The power and control unit consists of a main housing, a battery cover, a front cover and a PCB with LED screen to provide a user interface. The 'ULTIMO' atomizer consists of a base which accepts the atomizer and provides a connection between the power/control unit and the e-liquid contained within the tank. The upper section of the tank contains the e-liquid which is sealed between itself and the base, as well as supporting a mouthpiece. 1 x MG Ceramic-0.5ohm(the internal code is JC026), 1 x MG Clapton-0.5ohm (the internal code is JC028)heads or other MG series atomizer heads are supplied.</p> <p>The eVic VTC Dual is powered by one or two interchangeable 18650 batteries with different battery cover.</p>	M	Joyetech
	E-Cigarette_Liquid_Volume/Capacity	4ml	M	Joyetech
	E-cigarette_Nicotine_Concentration	N/A	F	Joyetech
	E-Cigarette_Battery_Type	Li-ion	F	Joyetech
	E-Cigarette_Battery_Type_Capacity	no cell inside	F	Joyetech
	E-Cigarette_Volt/Watt_Adjustable	both are adjustable	M	Joyetech
	E-Cigarette_Voltage	N/A	F	Joyetech
	E-Cigarette_Voltage_Lower_Range	0.5V	F	Joyetech
	E-Cigarette_Voltage_Upper_Range	9V	F	Joyetech

TPD Notification(eVic VTC Dual With ULTIMO)

	E-Cigarette_Wattage	N/A	F	Joyetech
	E-Cigarette_Wattage_Lower_Range	1W	F	Joyetech
	E-Cigarette_Wattage_Upper_Range	150W	F	Joyetech
	E-Cigarette_Airflow_Adjustable	adjustable	M	Joyetech
	E-Cigarette_Wick_Changeable	Yes	M	Joyetech
	E-Cigarette_Microprocessor	the e-cigarette contains a microprocessor	M	Joyetech
	E-Cigarette_Coil_Composition	SS316/Fe-Cr-AL alloy	M	Joyetech
	Coil Resistance	0.5ohm/0.5ohm	M	Joyetech
	E-Cigarette-Production-Conformity decl.	<input checked="" type="checkbox"/>	M	Joyetech
	E-Cigarette-Quality -Safety	<input checked="" type="checkbox"/>	M	Joyetech
	Child Tamper Proof decl.	<input checked="" type="checkbox"/>	M	Joyetech
	E-Cigarette_Production _File	attachment	M	Joyetech
	E_Cigarette_Opening/Refill _File	attachment	F	Joyetech
	E-Cigarette -Consistent dosing methods -File	attachment	M	Joyetech
	E-Cigarette -Consistent nicotine -dose/uptake file	attachment	M	Joyetech